

Kansas Register

Vol. 43, No. 44

October 31, 2024

Pages 1531-1550



In this issue ...

Page

Legislative Branch

Legislative Administrative Services

Interim Committee Schedule for October 28 – November 15, 2024.....1533

Rates

Pooled Money Investment Board

Notice of Investment Rates Effective October 28 – November 3, 2024.....1533

Notices

Wichita State University

Notice of Intent to Lease Real Property1533

Notice of Intent to Lease Real Property1534

Advisory Committee on Trauma

Notice of Meeting.....1534

St. Mary’s Academy & College

Notice to Bidders for Access Control Door Locks with Security Cameras.....1534

Kansas Department of Administration – Office of Procurement and Contracts

Notice to Bidders for State Purchase.....1534

Kansas Department of Administration – Office of Facilities and Property Management

Notice to Bidders or Construction Services for the Kansas State University
Strong Complex Renovations – Boyd Hall Project.....1535

Kansas State Board of Regents Universities

Notice to Bidders for University Purchase.....1535

Kansas Department of Health and Environment

Notice of Proposed Kansas Phase II Acid Rain Permit for
Chanute Municipal Power Plant #2.....1536

Notice of Proposed Kansas Phase II Acid Rain Permit for
Kansas City Board of Public Utilities – Kaw Power Station.....1537

Notice of Proposed Kansas Phase II Acid Rain Permit for
Kansas City Board of Public Utilities – Nearman Creek Power Station1537

Notice of Proposed Kansas Phase II Acid Rain Permit for
Kansas City Board of Public Utilities – Quindaro Power Station1538

Notice of Proposed Kansas/Federal Water Pollution Control Permits
and Applications1539

Cimarron Valley Railroad

Request for Proposals for Track Rehabilitation Project Between
Dodge City, Kansas and Ensign, Kansas.....1543

Kansas & Oklahoma Railroad

Request for Proposals for Track Expansion Project in Maize, Kansas1544

Viterra USA Grain

Request for Proposals for Track Rehabilitation Project in Wichita, Kansas1546

Executive Branch

Office of the Governor

Executive Directive No. 24-590, Establishment of a Federal Fund1548

Bonds

Kansas Development Finance Authority

Notice of Hearing on Proposed Revenue Bonds.....1548

Notice of Hearing on Proposed Revenue Bonds.....1548

Regulations

Kansas Department of Revenue

Permanent Administrative Regulations.....1549

Index to administrative regulations.....1549


Cover Artwork: Wheat Ready to Harvest
Photo by Todd Caywood

The Kansas Register is an official publication of the state of Kansas, published by authority of K.S.A. 75-430. The Kansas Register is published weekly and a cumulative index is published annually by the Kansas Secretary of State.

© Kansas Secretary of State 2024. Reproduction of the publication in its entirety or for commercial purposes is prohibited without prior permission. Official enactments of the Kansas Legislature and proposed and adopted administrative regulations of state agencies may be reproduced in any form without permission.

Current and back issues of the Kansas Register (HTML and PDF Format) can be found at <https://www.sos.ks.gov/publications/kansas-register.html>.

Register Office:
1st Floor, Memorial Hall
785-368-8095
kansasregister@ks.gov



Published by
Scott Schwab
Secretary of State
1st Floor, Memorial Hall
120 SW 10th Ave.
Topeka, KS 66612-1594
785-296-4564
<https://www.sos.ks.gov>

State of Kansas

Legislative Administrative Services

Interim Committee Schedule

The Legislative Research Department gives notice that the following legislative committees plan to meet on the dates listed below based on current information and subject to change. Requests for accommodation to participate in committee meetings should be made at least two working days in advance of the meeting by contacting Legislative Administrative Services at 785-296-2391 or TTY 711, or email legserv@las.ks.gov.

October 28 through November 15, 2024

Date	Room	Time	Committee	Agenda
Oct. 28	548-S	8:00 a.m.	Special Committee on Medical Marijuana	No Agenda Available
Oct. 28	582-N	9:00 a.m.	Joint Committee on Administrative Rules and Regulations	https://kslegislature.gov/li/b2023_24/committees/ctte_jt_rules_regs_1/documents/agenda/weeklyinterim/20241028.pdf
Oct. 30	582-N	9:00 a.m.	Joint Committee on Information Technology	https://www.kslegislature.gov/li/b2023_24/committees/ctte_jt_it_1/documents/agenda/weeklyinterim/20241030.pdf
Nov. 13	582-N	10:00 a.m.	Joint Committee on Child Welfare Systems Oversight	No Agenda Available
Nov. 14	582-N	10:00 a.m.	Joint Committee on Child Welfare Systems Oversight	No Agenda Available

Tom Day
Director
Legislative Administrative Services

Doc. No. 052623

State of Kansas

Pooled Money Investment Board

Notice of Investment Rates

The following rates are published in accordance with K.S.A. 75-4210. These rates and their uses are defined in K.S.A. 12-1675(b)(c)(d) and K.S.A. 12-1675a(g).

Effective 10-28-24 through 11-3-24

Term	Rate
1-89 days	4.83%
3 months	4.56%
6 months	4.41%
12 months	4.25%
18 months	4.13%
2 years	4.04%

Joel Oliver
Executive Director
Chief Investment Officer
Pooled Money Investment Board

Doc. No. 052611

State of Kansas

Wichita State University

Notice of Intent to Lease Real Property

Public notice is hereby given that Wichita State University (WSU), directly or through its affiliate corporation Wichita State Innovation Alliance, Inc., intends to lease, subject to all required state approvals, up to 1.22 acres of real property located on the northwest corner of the intersection of Fountain Avenue and 21st Street North, directly adjacent to the Wichita State University campus. This location would be designated for private development committed to supporting broadband infrastructure and Internet exchanges. The university is interested in leasing such ground to any individual, organization, or entity whose presence would advance WSU's vision or its mission as an educational, cultural, and economic driver for Kansas and the greater public good. WSU intends to lease such space for a mutually agreeable period of time, but extended terms and renewal options would be con-
(continued)

sidered. Interested tenants must be willing to be a good fit with WSU's educational mission and identify anticipated benefits to the university, its students, and the surrounding community (i.e. applied learning, joint research, faculty start-up, WSU curriculum or program support, community benefit commitments, etc.), and must agree to the essential ground lease terms and restrictive covenants. Interested tenants will be evaluated on: proposal terms, demonstrated benefit to WSU and the surrounding community, design concepts, financial stability, and proposed use. Interested tenants will be responsible for all costs associated with the development and ongoing maintenance costs of any improvements. Rental rate shall be based on fair market value and negotiable based on term of lease, purpose/use of the improvement, and benefit to WSU. WSU will consider serious offers and inquiries from any financially qualified individual, group, organization. If interested, please contact Property Manager Crystal Stegeman at crystal.stegeman@wichita.edu. This publication is being published pursuant to K.S.A. 75-430a(d), to the extent applicable.

Crystal Stegeman
University Property Manager
Office of the Vice President for
Administration and Finance
Wichita State University

Doc. No. 052352

State of Kansas

Wichita State University

Notice of Intent to Lease Real Property

Public notice is hereby given that Wichita State University (WSU), directly or through its affiliate corporation Wichita State Innovation Alliance, Inc., intends to lease, subject to all required state approvals, up to four acres of real property located on the Wichita State University's campus designated as the "Innovation Campus," for the private development and operation of a partnership building or buildings. The university is interested in leasing such ground to any individual, organization, or entity whose presence on campus would advance the university's applied learning vision or its mission as an educational, cultural, and economic driver for Kansas and the greater public good. The university intends to lease such space for a mutually agreeable period of time up to sixty years, but extended terms and renewal options would be considered. Interested tenants must be willing to be a good fit with the university's educational mission and identify anticipated benefits to the university, its students, and the WSU community (i.e. applied learning, joint research, faculty start-up, WSU curriculum or program support, etc.), and must agree to the essential ground lease terms and restrictive covenants. Interested tenants will be evaluated on: proposal terms, demonstrated benefit to WSU, design concepts, financial stability, and proposed use. Interested tenants will be required to construct adjacent and adequate surface parking that will not be included in the leased ground. Rental rate shall be based on fair market value and negotiable based on

term of lease, purpose/use of building improvement, and benefit to the university. The university will consider serious offers and inquiries with detailed proposal terms from any financially qualified individual, group, organization. If interested, please contact Senior Vice President for Industry and Defense Programs, Dr. John Tomblin at john.tomblin@wichita.edu or Property Manager Crystal Stegeman at crystal.stegeman@wichita.edu. This publication is being published pursuant to K.S.A. 75-430a(d), to the extent applicable.

Crystal Stegeman
University Property Manager
Office of the Vice President for
Administration and Finance

Doc. No. 052353

State of Kansas

Advisory Committee on Trauma

Notice of Meeting

The Advisory Committee on Trauma (ACT) will meet from 10:00 a.m. to 12:00 p.m. Wednesday, November 6, 2024, via Microsoft Teams. Please contact Wendy O'Hare at Wendy.OHare@ks.gov for a meeting invitation and/or for conference call-in information.

Janet Stanek
Secretary
Department of Health and Environment

Doc. No. 052614

(Published in the Kansas Register October 31, 2024.)

St. Mary's Academy & College

Notice to Bidders

Sealed bids for access control door locks with security cameras will be accepted by St. Mary's Academy & College, PO Box 159, St. Marys, KS 66536 until 3:00 p.m. Thursday, November 14, 2024, at which time they will be publicly opened and read aloud at 200 E. Mission, St. Marys, KS 66536. Copies of Instructions to Bidders and project specifications can be requested by sending an email to nparisi@smac.edu. You can also contact Nat Parisi at 785-437-2471 ext. 767. Estimated project value exceeds \$25,000.

Nicholas J. Novelly, CPA
Chief Financial Officer
St. Mary's Academy & College

Doc. No. 052622

State of Kansas

Department of Administration Office of Procurement and Contracts

Notice to Bidders

Sealed bids for items listed will be received by the Office of Procurement and Contracts until 2:00 p.m. on the date indicated. For more information, call 785-296-2376.

All bids are to be submitted via email only to procurement@ks.gov. For more information, please visit

https://supplier.sok.ks.gov/psc/sokfsprdsup/SUPPLIER/ERP/c/SCP_PUBLIC_MENU_FL.SCP_PUB_BID_CMP_FL.GBL.

11/21/2024	EVT0009972	Dietary Consultant – Kansas Veteran’s Home
11/21/2024	EVT0009973	Executive Compensation Consulting Services – KBOR
12/03/2024	EVT0009966	Janitorial Services KHP Olathe – KHP
12/04/2024	EVT0009947	Janitorial Services-McPherson – KDOR
12/05/2024	EVT0009976	Trash Removal Service; Crawford County State Park – KDWP

The above referenced bid documents can be downloaded at the following website:

https://supplier.sok.ks.gov/psc/sokfsprdsup/SUPPLIER/ERP/c/SCP_PUBLIC_MENU_FL.SCP_PUB_BID_CMP_FL.GBL

Additional files may be located at the following website (please monitor this website on a regular basis for any changes/addenda):

<https://admin.ks.gov/offices/procurement-contracts/bidding--contracts/additional-bid-opportunities>

11/14/2024	A-015181	New Construction; Lehigh-Portland Visitor Center – KDWP
11/14/2024	A-015184	New Construction; Clinton State Park Visitor Center – KDWP
11/26/2024	A-015201	Chiller Replacement PH 3; Isaac Ray – Larned State Hospital

Information regarding prequalification, projects, and bid documents can be obtained at 785-296-8899 or <http://admin.ks.gov/offices/ofpm/dcc>.

Todd Herman
Director
Office of Procurement and Contracts
Department of Administration

Doc. No. 052625

**State of Kansas
Department of Administration
Office of Facilities and Property Management**

Notice to Bidders

Notice is hereby given for the receipt of subcontractor bids for the A-014988 Kansas State University Strong Complex Renovations – Boyd Hall project. This project is being delivered using procedures established under the Kansas alternate project delivery building construction procurement act (K.S.A 75-37,141 et seq.) for McCown-Gordon Construction, the Construction Manager.

Subcontractor bids will be received for the following scopes of work:

- 03 00 00 Concrete
- 04 00 00 Masonry
- 05 00 00 Steel
- 07 90 00 Joint sealants and waterproofing
- 08 40 00 Glass and glazing
- 06 40 00 Architectural woodwork
- 07 40 00 Roofing

- 08 10 00 Doors, frames, and hardware
- 09 20 00 Drywall and plaster
- 09 64 00 Wood flooring
- 09 65 00 Carpet, resilient flooring, and tile
- 09 90 00 Painting and wall coverings
- 10 20 00 Specialties
- 14 20 00 Elevators
- 21 00 00 Fire suppression
- 22 00 00 Plumbing
- 23 00 00 Heating, ventilation, and air conditioning
- 26 00 00 Electrical
- 31 00 00 Earthwork
- 32 80 00 Landscaping and irrigation
- 33 00 00 Site utilities

Bids will be received until November 14, 2024.

All bidders must prequalify. Prior to being awarded a contract, all bidders are required to qualify with McCownGordon. McCownGordon utilizes a secure online system to administer the qualification review process. Bidders who are not prequalified should go to <https://mccowngordon.com/trade-partners/> and click the “Prequalify Now” link to begin the process. Any questions regarding the prequalification process should be directed to Abigail Freeman at afreeman@mccowngordon.com. By submitting a bid, your company agrees that it will submit a recent financial statement, references, and safety history prior to award of a contract. Subcontractor will execute a copy of McCownGordon Construction’s current MSA.

All bidders should advise of their intent to bid. Intent to bid can be sent through bid solicitation software at <http://www.buildingconnected.com>.

A copy of the bid documents will be available for review. Documents can be accessed through bid solicitation software <http://www.buildingconnected.com>.

Barbara Schilling
Deputy Director-DCC
Office of Facilities and Property Management
Department of Administration

Doc. No. 052616

**State of Kansas
Board of Regents Universities**

Notice to Bidders

The universities of the Kansas Board of Regents encourage interested vendors to visit the various universities’ purchasing offices’ websites for a listing of all transactions, including construction projects, for which the universities’ purchasing offices, or one of the consortia commonly utilized by the universities, are seeking information, competitive bids, or proposals. The referenced construction projects may include project delivery construction procurement act projects pursuant to K.S.A. 76-7,125 et seq.

Emporia State University – Bid postings: <https://www.emporia.edu/about-emporia-state-university/business-office/purchasing>. Additional contact info: phone: 620-341-5137, email: purchaseorders@emporia.edu. Mailing address: Emporia State University Purchasing, Campus Box 4021, 1 Kellogg Cir., Emporia, KS 66801.

(continued)

Fort Hays State University – Electronic bid postings: <http://www.fhsu.edu/purchasing/bids>. Additional contact info: phone: 785- 628-4251, email: purchasing@fhsu.edu. Mailing address: Fort Hays State University Purchasing Office, 601 Park St., Sheridan Hall 318, Hays, KS 67601.

Kansas State University – Bid postings: <https://bidportal.ksu.edu>. Effective August 1, 2023, all bids, quotes, or proposals must be submitted via the Kansas State University Bid Portal at <https://bidportal.ksu.edu>. Division of Financial Services/Purchasing, 2323 Anderson Ave., Kansas State University, Manhattan, KS 66506. Additional contact information, phone: 785-532- 6214, email: kspurch@k-state.edu.

Pittsburg State University – Bid postings: <https://www.pittstate.edu/office/purchasing>. Additional contact info: phone: 620-235-4167, email: purch@pittstate.edu. Mailing address: Pittsburg State University, Purchasing Office, 1701 S. Broadway, Pittsburg, KS 66762.

University of Kansas – Electronic bid postings: <http://www.procurement.ku.edu/>. The University of Kansas exclusively uses the online eBid tool and will no longer accept paper responses unless otherwise specified in a solicitation. Additional contact information, email: purchasing@ku.edu. Mailing address: University of Kansas, Procurement Department, 1246 W. Campus Road Room 20, Lawrence, KS 66045.

University of Kansas Medical Center – Electronic bid postings: <https://www.kumc.edu/finance/supply-chain/bid-opportunities.html>. Additional contact information, phone: 913-588-1117, email: hunkemoore@kumc.edu. The University of Kansas Medical Center accepts only electronic bids.

Wichita State University – Bid postings: https://www.wichita.edu/services/purchasing/Bid_Documents/Bid_Documents.php. Additional contact information, phone: 316-978-3080, fax: 316-978-3738, email: purchasing.office@wichita.edu. Mailing address: Wichita State University, Office of Purchasing, 1845 Fairmount Ave., Campus Box 38, Wichita, KS 67260-0038.

Jim Hughes
Director of Purchasing
Pittsburg State University

Doc. No. 052485

State of Kansas

Department of Health and Environment

Notice Concerning Proposed Kansas Phase II Acid Rain Permit

Notice is hereby given that the Kansas Department of Health and Environment (KDHE) is proposing to issue a five-year permit to the Chanute Municipal Power Plant #2, 1415 Garfield Ave., Chanute, KS 66720, pursuant to Title IV (Acid Deposition Control) of the Federal Clean Air Act and implementing regulations found at 40 CFR Parts 72 through 78. The effective date of the permit is from January 1, 2025 through December 31, 2029.

One (1) simple cyclone combustion turbine affected by

this permit action, identified as 14 is located at 1415 Garfield Ave., Chanute, KS 66720, operated by City of Chanute, 1415 Garfield Ave., Chanute, KS 66720, would receive zero (0) allowances (respectively,) for each year from 2025 through 2029. Each allowance authorizes the utility boiler to emit up to one ton of sulfur dioxide during or after each of the years specified above. Chanute Municipal Power Plant #2 proposes to comply with the Acid Rain Program emission requirements by holding enough allowances to cover all sulfur dioxide emissions. Issuance of this permit would not affect the responsibility of Chanute Municipal Power Plant #2 to meet all other existing local, state, and federal sulfur dioxide emission requirements.

The designated representative for Chanute Municipal Power Plant #2 is Brandon Westerman.

A copy of the proposed permit, permit application, all supporting documentation, and all information relied upon during the permit application review process are available for public review during normal business hours of 8:00 a.m. to 5:00 p.m. at the KDHE, Bureau of Air (BOA), 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366 and at the Southeast District Office, 308 W. 14th St., Chanute, KS 66720. To obtain or review the proposed permit and supporting documentation, contact Parker Robb at the central office of KDHE at 785-296-1947, or Ryan Jack at the Southeast District Office at 620-431-2390. The standard departmental cost will be assessed for any copies requested. The proposed permit, accompanied with supporting information, is available, free of charge, at the KDHE BOA Public Notice website at <https://www.kdhe.ks.gov/413/Public-Notices>.

Please direct written comments or questions regarding the proposed permit to Parker Robb, KDHE, BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366. In order to be considered in formulating a final permit decision, written comments must be received no later than 12:00 p.m. Monday, December 2, 2024.

A person may request a public hearing be held on the proposed permit. The request for a public hearing shall be in writing and set forth the basis for the request. The written request must be submitted to Parker Robb, KDHE BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366, no later than 12:00 p.m. Monday, December 2, 2024, in order for the Secretary of Health and Environment to consider the request.

The preceding notice refers to the air permit for Chanute Municipal Power Plant #2 located at 1415 Garfield Ave., Chanute, KS 66720. If you want more information or you have other questions, please contact the KDHE Non-Discrimination coordinator and call 785-296-5156 or send an email to: KDHE.NonDiscrimination@ks.gov. [El aviso anterior se refiere al permiso de aire para Chanute Municipal Power Plant #2 ubicado en 1415 Garfield Ave., Chanute, KS 66720. Si desea obtener más información en español o tiene otras preguntas, por favor, comuníquese con el Coordinador de No Discriminación de KDHE y llame al 785-296-5156 o envíe un correo electrónico a: KDHE.NonDiscrimination@ks.gov.]

Janet Stanek
Secretary
Department of Health and Environment

Doc. No. 052617

State of Kansas

Department of Health and Environment

Notice Concerning Proposed
Kansas Phase II Acid Rain Permit

Notice is hereby given that the Kansas Department of Health and Environment (KDHE) is proposing to issue a five-year permit to the Kansas City Board of Public Utilities – Kaw Power Station, 2015 Kansas Ave., Kansas City, KS 66105, pursuant to Title IV (Acid Deposition Control) of the Federal Clean Air Act and implementing regulations found at 40 CFR Parts 72 through 78. The effective date of the permit is from January 1, 2025 through December 31, 2029.

Three (3) utility boiler(s) affected by this permit action, identified as K1, K2, K3 are located at 2015 Kansas Ave., Kansas City, KS 66105, operated by Kansas City Board of Public Utilities, 300 N. 65th St., Kansas City, KS 66102, would receive K1: 789; K2: 620; and K3: 517 allowances (respectively,) for each year from 2025 through 2029. Each allowance authorizes the utility boiler to emit up to one ton of sulfur dioxide during or after each of the years specified above. Kansas City Board of Public Utilities – Kaw Power Station proposes to comply with the Acid Rain Program emission requirements by holding enough allowances to cover all sulfur dioxide emissions. Issuance of this permit would not affect the responsibility of Kansas City Board of Public Utilities – Kaw Power Station to meet all other existing local, state, and federal sulfur dioxide emission requirements.

The designated representative for Kansas City Board of Public Utilities – Kaw Power Station is Ingrid Setzler.

A copy of the proposed permit, permit application, all supporting documentation, and all information relied upon during the permit application review process are available for public review during normal business hours of 8:00 a.m. to 5:00 p.m. at the KDHE, Bureau of Air (BOA), 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366 and at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department, 619 Ann Ave., Kansas City, KS 666101. To obtain or review the proposed permit and supporting documentation, contact Parker Robb at the central office of KDHE at 785-296-1947, or Jennifer Stewart at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department at 913-573-6700. The standard departmental cost will be assessed for any copies requested. The proposed permit, accompanied with supporting information, is available, free of charge, at the KDHE BOA Public Notice website at <https://www.kdhe.ks.gov/413/Public-Notices>.

Please direct written comments or questions regarding the proposed permit to Parker Robb, KDHE, BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366. In order to be considered in formulating a final permit decision, written comments must be received no later than 12:00 p.m. December 2, 2024.

A person may request a public hearing be held on the proposed permit. The request for a public hearing shall be in writing and set forth the basis for the request. The written request must be submitted to Parker Robb, KDHE BOA, 1000 SW Jackson, Suite 310, Topeka, KS

66612-1366, no later than 12:00 p.m. Monday, December 2, 2024, in order for the Secretary of Health and Environment to consider the request.

The preceding notice refers to the air permit for Kansas City Board of Public Utilities – Kaw Power Station located at 2015 Kansas Ave., Kansas City, KS 66105. If you want more information or you have other questions, please contact the KDHE Non-Discrimination coordinator and call 785-296-5156 or send an email to: KDHE.NonDiscrimination@ks.gov. [El aviso anterior se refiere al permiso de aire para Kansas City Board of Public Utilities – Kaw Power Station ubicado en 2015 Kansas Ave., Kansas City, KS 66105. Si desea obtener más información en español o tiene otras preguntas, por favor, comuníquese con el Coordinador de No Discriminación de KDHE y llame al 785-296-5156 o envíe un correo electrónico a: KDHE.NonDiscrimination@ks.gov.]

Janet Stanek
Secretary

Department of Health and Environment

Doc. No. 052618

State of Kansas

Department of Health and Environment

Notice Concerning Proposed
Kansas Phase II Acid Rain Permit

Notice is hereby given that the Kansas Department of Health and Environment (KDHE) is proposing to issue a five-year permit to the Kansas City Board of Public Utilities – Nearman Creek Power Station, 4240 N. 55th St., Kansas City, KS 66104, pursuant to Title IV (Acid Deposition Control) of the Federal Clean Air Act and implementing regulations found at 40 CFR Parts 72 through 78. The effective date of the permit is from January 1, 2025 through December 31, 2029.

One (1) utility boiler and one (1) simple cyclone combustion turbine affected by this permit action, identified as N1, CT-4 are located at 4240 N. 55th St., Kansas City, KS 66104, operated by Kansas City Board of Public Utilities, 300 N. 65th St., Kansas City, KS 66102, would receive N1: 6942; and CT-4: zero (0) allowances (respectively,) for each year from 2025 through 2029. Each allowance authorizes the utility boiler to emit up to one ton of sulfur dioxide during or after each of the years specified above. Kansas City Board of Public Utilities – Nearman Creek Power Station proposes to comply with the Acid Rain Program emission requirements by holding enough allowances to cover all sulfur dioxide emissions. Issuance of this permit would not affect the responsibility of Kansas City Board of Public Utilities – Nearman Creek Power Station to meet all other existing local, state, and federal sulfur dioxide emission requirements.

Nearman Creek Power Station's Unit N1 is a Phase II dry bottom wall-fired boiler and will comply with the standard Btu-weighted annual average emission rate of 0.46-lb NO_x/MMBtu heat input.

The designated representative for Kansas City Board of Public Utilities – Nearman Creek Power Station is Ingrid Setzler.

(continued)

A copy of the proposed permit, permit application, all supporting documentation, and all information relied upon during the permit application review process are available for public review during normal business hours of 8:00 a.m. to 5:00 p.m. at the KDHE, Bureau of Air (BOA), 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366 and at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department, 619 Ann Ave., Kansas City, KS 66101. To obtain or review the proposed permit and supporting documentation, contact Parker Robb at the central office of KDHE at 785-296-1947, or Jennifer Stewart at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department at 913-573-6700. The standard departmental cost will be assessed for any copies requested. The proposed permit, accompanied with supporting information, is available, free of charge, at the KDHE BOA Public Notice website at <https://www.kdhe.ks.gov/413/Public-Notices>.

Please direct written comments or questions regarding the proposed permit to Parker Robb, KDHE, BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366. In order to be considered in formulating a final permit decision, written comments must be received no later than 12:00 p.m. Monday, December 2, 2024.

A person may request a public hearing be held on the proposed permit. The request for a public hearing shall be in writing and set forth the basis for the request. The written request must be submitted to Parker Robb, KDHE BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366, no later than 12:00 p.m. Monday, December 2, 2024, in order for the Secretary of Health and Environment to consider the request.

The preceding notice refers to the air permit for Kansas City Board of Public Utilities – Nearman Creek Power Station located at 4240 N. 55th St., Kansas City, KS 66104. If you want more information or you have other questions, please contact the KDHE Non-Discrimination coordinator and call 785-296-5156 or send an email to: KDHE.NonDiscrimination@ks.gov. [El aviso anterior se refiere al permiso de aire para Kansas City Board of Public Utilities – Nearman Creek Power Station ubicado en 4240 N. 55th St., Kansas City, KS 66104. Si desea obtener más información en español o tiene otras preguntas, por favor, comuníquese con el Coordinador de No Discriminación de KDHE y llame al 785-296-5156 o envíe un correo electrónico a: KDHE.NonDiscrimination@ks.gov.]

Janet Stanek
Secretary

Department of Health and Environment

Doc. No. 052619

State of Kansas

Department of Health and Environment

Notice Concerning Proposed Kansas Phase II Acid Rain Permit

Notice is hereby given that the Kansas Department of Health and Environment (KDHE) is proposing to issue a five-year permit to the Kansas City Board of Public Utilities – Quindaro Power Station, 3601 N. 12th St., Kansas City, KS 66104, pursuant to Title IV (Acid Deposition

Control) of the Federal Clean Air Act and implementing regulations found at 40 CFR Parts 72 through 78. The effective date of the permit is from January 1, 2025 through December 31, 2029.

Two (2) utility boiler(s) affected by this permit action, identified as Q1, Q2 are located at 3601 N. 12th St., Kansas City, KS 66104, operated by Kansas City Board of Public Utilities, 300 N. 65th St., Kansas City, KS 66102, would receive Q1: 2035; and Q2: 2082 allowances (respectively,) for each year from 2025 through 2029. Each allowance authorizes the utility boiler to emit up to one ton of sulfur dioxide during or after each of the years specified above. Kansas City Board of Public Utilities – Quindaro Power Station proposes to comply with the Acid Rain Program emission requirements by holding enough allowances to cover all sulfur dioxide emissions. Issuance of this permit would not affect the responsibility of Kansas City Board of Public Utilities – Quindaro Power Station to meet all other existing local, state, and federal sulfur dioxide emission requirements.

Quindaro Power Station's Unit Q2 is a Phase I dry bottom wall-fired boiler and will comply with the standard Btu-weighted annual average emission rate of 0.50-lb-NO_x/MMBtu heat input.

The designated representative for Kansas City Board of Public Utilities – Quindaro Power Station is Ingrid Setzler.

A copy of the proposed permit, permit application, all supporting documentation, and all information relied upon during the permit application review process are available for public review during normal business hours of 8:00 a.m. to 5:00 p.m. at the KDHE, Bureau of Air (BOA), 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366 and at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department, 619 Ann Ave., Kansas City, KS 66101. To obtain or review the proposed permit and supporting documentation, contact Parker Robb at the central office of KDHE at 785-296-1947, or Jennifer Stewart at the Unified Government of Wyandotte County/Kansas City, Kansas Health Department at 913-573-6700. The standard departmental cost will be assessed for any copies requested. The proposed permit, accompanied with supporting information, is available, free of charge, at the KDHE BOA Public Notice website at <https://www.kdhe.ks.gov/413/Public-Notices>.

Please direct written comments or questions regarding the proposed permit to Parker Robb, KDHE, BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366. In order to be considered in formulating a final permit decision, written comments must be received no later than 12:00 p.m. Monday, December 2, 2024.

A person may request a public hearing be held on the proposed permit. The request for a public hearing shall be in writing and set forth the basis for the request. The written request must be submitted to Parker Robb, KDHE BOA, 1000 SW Jackson, Suite 310, Topeka, KS 66612-1366, no later than 12:00 p.m. Monday, December 2, 2024, in order for the Secretary of Health and Environment to consider the request.

The preceding notice refers to the air permit for Kansas City Board of Public Utilities – Quindaro Power Station located at 3601 N. 12th St., Kansas City, KS 66104. If you want more information or you have other questions,

please contact the KDHE Non-Discrimination coordinator and call 785-296-5156 or send an email to: KDHE.NonDiscrimination@ks.gov. [El aviso anterior se refiere al permiso de aire para Kansas City Board of Public Utilities – Quindaro Power Station ubicado en 3601 N. 12th St., Kansas City, KS 66104. Si desea obtener más información en español o tiene otras preguntas, por favor, comuníquese con el Coordinador de No Discriminación de KDHE y llame al 785-296-5156 o envíe un correo electrónico a: KDHE.NonDiscrimination@ks.gov.]

Janet Stanek
Secretary

Department of Health and Environment

Doc. No. 052620

State of Kansas

Department of Health and Environment

Notice Concerning Kansas/Federal Water Pollution Control Permits and Applications

In accordance with Kansas Administrative Regulations 28-16-57a through 63, 28-18-1 through 17, 28-18a-1 through 31 and 33, 28-16-150 through 154, 28-46-7, and the authority vested with the state by the administrator of the U.S. Environmental Protection Agency, various draft water pollution control documents (permits, notices to revoke and reissue, notices to terminate) have been prepared and/or permit applications have been received for discharges to waters of the United States and the state of Kansas for the class of discharges described below.

The proposed actions concerning the draft documents are based on staff review, applying the appropriate standards, regulations, and effluent limitations of the state of Kansas and the Environmental Protection Agency. The final action will result in a Federal National Pollutant Discharge Elimination System Authorization and/or a Kansas Water Pollution Control permit being issued, subject to certain conditions, revocation, and reissuance of the designated permit or termination of the designated permit.

Las acciones propuestas con respecto a los documentos preliminares se basan en la revisión del personal, aplicando los estándares, regulaciones y limitaciones de efluentes apropiados del estado de Kansas y de la Agencia de Protección Ambiental de Estados Unidos. La acción final resultará en la emisión de una Autorización Federal del Sistema Nacional de Eliminación de Descargas de Contaminantes y un permiso de Control de Contaminación del Agua de Kansas, sujeto a ciertas condiciones, revocación y reemisión del permiso designado o terminación del permiso designado. Si desea obtener más información en español o tiene otras preguntas, por favor, comuníquese con el Coordinador de No Discriminación al 785-296-5156 o en: KDHE.NonDiscrimination@ks.gov.

Public Notice No. KS-AG-24-342

Application(s) for New or Expansion of Existing Swine Facilities

Name and Address of Applicant	Owner of Property Where Facility Will Be Located
Prairie Valley Farms Theodore Frederick PO Box 208 Hugoton, KS 67951	Prairie Valley Farms, LLC PO Box 208 Hugoton, KS 67951
Legal Description	Receiving Water
E/2 of Section 28 & W/2 of Section 33 T34S, R40W Morton County	Cimarron River Basin
Kansas Permit No. A-CIMT-H005 Federal Permit No. KS0093181	

This is notification KDHE has received a complete permit application for the operation of a swine waste management facility capable of housing 43,200 head (17,280 animal units) of swine weighing greater than 55 pounds each. The complete application can be viewed online at <https://www.kdhe.ks.gov/493/Swine-Feedlot-Permit-Applications>, at the office of the Morton County Clerk, at the KDHE Southwest District Office in Dodge City, Kansas and the KDHE Central Office in Topeka, Kansas. A permit to operate the proposed swine waste management system will not be issued without additional public notice.

Public Notice No. KS-AG-24-343/353

Pending Permits for Confined Feeding Facilities

Name and Address of Applicant	Legal Description	Receiving Water
Ambrosier Ranch Elden Ambrosier 5998 K-383 Hwy. Norton, KS 67654	NW/4 of Section 25 T03S, R25W Norton County	Upper Republican River Basin
Kansas Permit No. A-URNT-B004		

The proposed action is to reissue an existing state permit for an existing facility for 999 head (999 animal units) of cattle weighing greater than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant	Legal Description	Receiving Water
Capron Farms Bennie Capron 3636 SW US-69 Hwy. Columbus, KS 66725	SE/4 of Section 36 T33S, R23E Cherokee County	Neosho River Basin
Kansas Permit No. A-NECK-F015		

The proposed action is to reissue an existing state permit for an existing facility for 25,000 head (450 animal units) of turkeys. This is a decrease in permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant	Legal Description	Receiving Water
Central Kansas Services Mitzi Suhler 1940 E. US-56 Hwy. Lyons, KS 67554	NW/4 of Section 30 T19S, R07W Rice County	Lower Arkansas River Basin
Kansas Permit No. A-ARRC-T001		

The proposed action is to reissue an existing state permit for a livestock trailer washout facility with an average of 40 washes per week. There will be no change in the operation from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

(continued)

Name and Address of Applicant **Legal Description** **Receiving Water**

Franke Dairy SE/4 of Section 09 Marias des Cygnes
 Curtis Franke T16S, R23E River Basin
 25298 Hospital Dr. Miami County

Kansas Permit No. A-MCMI-M009

The proposed action is to reissue an existing state permit for an existing facility for 70 head (98 animal units) of mature dairy cattle and 15 head (7.5 animal units) of cattle weighing 700 pounds or less (dairy calves), for a total of 105.5 animal units. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Garden City SE/4 of Section 03 Upper Arkansas
 Truckwash, Inc. T24S, R33W River Basin
 3635 W. Jones Ave. Finney County
 Garden City, KS 67846

Kansas Permit No. A-UAFI-T001

The proposed action is to reissue an existing state permit for an existing facility for washing up to 14 livestock transportation containers per calendar day. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

HRC Feedyards, W/2 of Section 24 Smoky Hill
 LLC - #5 T17S, R32W River Basin
 5503 E. Road 120 Scott County
 Scott City, KS 67871

Kansas Permit No. A-SHSC-C012
Federal Permit No. KS0086886

The proposed action is to reissue an existing NPDES permit for an existing facility for 25,000 head (25,000 animal units) of cattle weighing more than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Nutrient Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Kleysteuber & Gillen, SE/4 of Section 20 Upper Arkansas
 Inc. T26S, R31W River Basin
 13060 S. Road 20 Finney County
 Garden City, KS 67846

Kansas Permit No. A-UAFI-B008

The proposed action is to reissue an existing state permit for an existing facility for 999 head (999 animal units) of cattle weighing more than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Nelson Hog Farms, SW/4 of Section 08 Upper Republican
 LLC - Site E T01S, R21W River Basin
 1583 Road E9 Norton County
 Alma, KS 67622

Kansas Permit No. A-URNT-H007
Federal Permit No. KS0094901

The proposed action is to reissue an existing state permit for an existing facility for 7,680 head (3,072 animal units) of swine weighing more than 55 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Ray Sonderegger W/2 of Section 34 Smoky Hill
 2550 CR 29 T11S, R38W River Basin
 Wallace, KS 67761 Wallace County

Kansas Permit No. A-SHWA-B001

The proposed action is to reissue an existing state permit for an existing facility for 85 head (85 animal units) of cattle weighing greater than 700 pounds and 765 head (382.5 animal units) of cattle weighing less than 700 pounds for a total of 850 head (467.5 animal units) of cattle. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Wintergreen Farms SE/4 of Section 02 Lower Republican
 505 Eagle Rd. T05S, R01E River Basin
 Clifton, KS 66937 Washington County

Kansas Permit No. A-LRWS-B001

The proposed action is to reissue an existing state permit for an existing facility for 999 head (999 animal units) of cattle more than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Name and Address of Applicant **Legal Description** **Receiving Water**

Yoder Dairy Farm NW/4 of Section 25 Neosho River Basin
 Ray Yoder T33S, R20E
 10051 Trego Rd. Labette County
 Oswego, KS 67356

Kansas Permit No. A-NELB-M019

The proposed action is to reissue an existing state permit for an existing facility for 12 head (6 animal units) of calves weighing 700 pounds or less, 10 head (10 animal units) of cattle weighing more than 700 pounds, 30 head (42 animal units) of mature dairy cattle, and 9 head (18 animal units) of horses; for a total of 76 animal units of livestock. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Public Notice No. KS-Q-24-224/230

The requirements of the draft permit public noticed below are pursuant to the Kansas Surface Water Quality Standards, K.A.R. 28-16-28(b-g), and Federal Surface Water Criteria.

Name and Address of Applicant **Receiving Stream** **Type of Discharge**

Abilene, City of Smoky Hill River Treated Domestic
 410 N. Broadway
 PO Box 519
 Abilene, KS 67410

Permit No. M-SH01-0002
Federal Permit No. KS0098647

Legal Description: NE¼, NW¼, NW¼, Section 27, Township 13S, Range 2E, Dickinson County

Location: 38.89978, -97.20108

The proposed action consists of reissuance of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a mechanical wastewater treatment plant consisting of: of a pump station, grit removal, two screening channels, four sequencing batch reactor basins, two aerobic digesters, and UV disinfection of effluent. The facility receives domestic wastewater from residential and commercial areas and industrial wastewater from local manufacturers. This permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, pH, Ammonia, and E. coli. The permit contains monitoring for Total Phosphorus, Nitrates + Nitrites, Total Kjeldahl Nitrogen, Total Nitrogen, Chloride, and Sulfate.

Name and Address of Applicant	Receiving Stream	Type of Discharge
Brookville, City of PO Box 14 Brookville, KS 67425	West Spring Creek	Treated Domestic

Permit No. M-SA02-OO01
Federal Permit No. KS0096831

Legal Description: W½, SW¼, SW¼, Section 3, Township 15S, Range 5W, Saline County

Location: [38.77065, -97.87229](#)

The proposed action consists of reissuance of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a three-cell wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas. The detention time at the design flow is 152.4 days. This permit contains limits for Biochemical Oxygen Demand, and Total Suspended Solids. The permit contains monitoring for pH, Ammonia, E. coli, and Total Phosphorus.

Name and Address of Applicant	Receiving Stream	Type of Discharge
El Paso Merchant Energy-Petroleum Co. 2 N. Nevada Ave. Colorado Springs, CO 80903	West Branch of the Walnut River	Process Wastewater

Permit No. I-WA09-PO01
Federal Permit No. KS0000205

Legal Description: SW¼, Section 26, Township 25S, Range 5E, Burler County

Location: [37.83975, -96.85848](#)

The proposed action consists of renewal of an existing Kansas/NPDES Water Pollution Control Permit for an existing facility. This facility is a former petroleum refinery, asphalt blending and terminal operation undergoing closure. Refinery operations at the site were discontinued in 1993 and asphalt operations were discontinued in 2004. Wastewater streams consist of stormwater runoff; contaminated groundwater flow from a spring; groundwater recovered from interceptor trenches and monitoring well development, purging and sampling activities; and equipment rinsate (washwater) from environmental investigation and remediation activities. This permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, pH, Total Petroleum Hydrocarbon, and Benzene. The permit contains monitoring for Flow, Fluoride, Antimony, Arsenic, Chromium, Copper, Lead, Nickel, Zinc, Selenium, Methyl tert-butyl ether, and Phosphorous.

Name and Address of Applicant	Receiving Stream	Type of Discharge
Iola, City of PO Box 308 Iola, KS 66749	Neosho River	Treated Domestic

Permit No. M-NE37-OO03
Federal Permit No. KS0099414

Legal Description: N½, Section 3, Township 25S, Range 18E, Allen County

Location: [37.90398, -95.41820](#)

The proposed action consists of modifying of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a concrete aerated equalization tank, three cell wastewater stabilization lagoon system with a fourth serpentine flow covered polishing cell with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas and industrial wastewater from local manufacturers. This permit contains limits for Biochemical Oxygen Demand, and Total Suspended Solids. The permit contains monitoring for pH, Ammonia, Nitrates+ Nitrites, Total Kjeldahl Nitrogen, Total Nitrogen, and Total Phosphorus.

Name and Address of Applicant	Receiving Stream	Type of Discharge
Oberlin, City of 1 Morgan Dr. Oberlin, KS 67749	Sappa Creek	Treated Domestic

Permit No. M-UR17-OO02
Federal Permit No. KS0098655

Legal Description: SW¼, NE¼, NE¼, Section 12, Township 3S, Range 29W, Decatur County

Location: [39.81073, -100.51981](#)

The proposed action consists of reissuance of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a four cell (The fourth wetland cell was added in 2019 to improve treatment and reduce discharging) wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas. This permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, and Ammonia. The permit contains monitoring for pH, E. coli, Total Phosphorus, and Selenium. This NPDES discharging lagoon wastewater treatment facility has been reviewed for eligibility for the MDV for ammonia and has been determined to be eligible. Eligibility was determined through analysis of the facility's highest attainable criteria (HAC) for ammonia. The ammonia effluent limit was determined on July 3, 2024 by calculating the 99th percentile ammonia value from the facility's discharge monitoring reports resulting in an ammonia limit of 5.3 mg/L for this facility. Due to anti-backsliding, the variance limits will remain at 5.2 mg/l.

Name and Address of Applicant	Receiving Stream	Type of Discharge
Prescott, City of PO Box 223 Prescott, KS 66767	Little Osage River via Laberdie Creek via East Laberdie Creek via Unnamed Tributary	Treated Domestic

Permit No. M-MC37-OO02
Federal Permit No. KS0095508

Legal Description: W½, NW¼, SE¼, Section 7, Township 23S, Range 25E, Linn County

Location: [38.056824, -94.704012](#)

The proposed action consists of reissuance of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a three-cell wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas. This permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, Ammonia, and E. coli. The permit contains monitoring for pH.

Name and Address of Applicant	Receiving Stream	Type of Discharge
Savonburg, City of 101 S. Walnut St. Savonburg, KS 66772	Neosho River via Canville Creek via Unnamed Tributary	Treated Domestic

Permit No. M-NE60-OO01
Federal Permit No. KS0079952

Legal Description: S½, NW¼ & N½, SW¼, Section 29, Township 26S, Range 21E, Allen County

Location: [37.7552, -95.14072](#)

The proposed action consists of reissuance of a Kansas/NPDES Water Pollution Control permit for an existing facility. The existing facility is a four-cell wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas. The facility receives domestic wastewater from residential and commercial areas. This permit contains limits for Biochemical Oxygen Demand, and Total Suspended Solids. The permit contains monitoring for pH, Ammonia, and E. coli.

(continued)

Persons wishing to comment on or object to the draft documents and/or permit applications must submit their comments in writing to the Kansas Department of Health and Environment (KDHE) if they wish to have the comments or objections considered in the decision-making process. All written comments regarding the draft documents, application or registration notices received on or before November 30, 2024, will be considered in the formulation of the final determination regarding this public notice. Please refer to the appropriate Kansas document number (KS-AG-24-342, KS-AG-24-343/353, KS-Q-24-224/230) and name of the applicant/permittee when preparing comments.

All comments received will be responded to at the time the Secretary of Health and Environment issues a determination regarding final agency action on each draft document/application. If response to any draft document/application indicates significant public interest, a public hearing may be held in conformance with K.A.R. 28-16-61 (28-46-21 for UIC). A request for public hearing must be submitted in writing and shall state the nature of the issues proposed to be raised during the hearing.

Comments or objections for agricultural related draft documents, permit applications, registrations or actions should be submitted to the attention of Casey Guccione, Livestock Waste Management Section at the KDHE, Bureau of Environmental Field Services (BEFS), 1000 SW Jackson, Suite 430, Topeka, KS 66612. Comments or objections for all other proposed permits or actions should be sent to Andrew Bowman at the KDHE, Bureau of Water, 1000 SW Jackson St., Suite 420, Topeka, KS 66612.

Notice of Intent to Terminate

Pursuant to the requirements of K.A.R. 28-16-60 and K.A.R. 28-16-62, the Kansas Department of Health and Environment (KDHE) hereby provides notice of intent to terminate the following KDHE-issued permits.

State Permit	Project Name / Facility Name	City	County
S-AR03-0014	Kanza No. 1	Andale	Sedgwick
S-WA01-0073	The Cornerstone Seventh Addition	Andover	Butler
S-VE04-0014	Family Dollar Caney	Caney	Montgomery
S-AR29-0129	Spring Ridge 3rd-Phase 2	Derby	Sedgwick
S-KS12-0068	De Soto Crossing Apartments	DeSoto	Johnson
S-NE24-0092	Fanestil Meats Expansion	Emporia	Lyon
S-NE24-0103	Cottonwood River C102 Streambank Stabilization Project	Emporia	Lyon
S-KS17-0051	Modern Manufacturing	Eudora	Douglas
S-NE29-0008	Galesburg Quarry	Galesburg	Neosho
S-UA14-0183	Garden City Optometrists	Garden City	Finney
S-UA14-0140	Columbus Addition	Garden City	Finney
S-KS20-0144	Symphony Farms V	Garnder	Johnson
S-AR37-0007	St. Andrew's 3rd Addition	Goddard	Sedgwick
S-UR09-0027	Goodland KS-Temporary Ground Piles	Goodland	Sherman
S-SH14-0005	New Fertilizer Tank and Rail Unload	Grinnell	Gove
G-AR43-0001	Haysville Wastewater Plant	Haysville	Sedgwick
G-SH17-0002	U.S. Stone-Herington Plant	Herington	Morris

State Permit	Project Name / Facility Name	City	County
S-CI07-0035	Carpenter Substation	Hugoton	Stevens
S-AR51-0003	Crop Nutrient Facility	Iuka	Pratt
S-KS27-0217	Shlitterbahn North Retail	Kansas City	Wyandotte
S-KS27-0285	Turner Middle School	Kansas City	Wyandotte
S-NE38-0006	Glover Real Estate LLC-Carter, Carter LLC	Labette	Labette
S-MO12-0200	Adams Valley Subdivision	Leavenworth	Leavenworth
S-MC20-0054	Heartland RV and Marine Storage	Louisburg	Miami
S-MC20-0061	Louisburg High School Addition and Renovation	Louisburg	Miami
S-KS38-0289	Courtyards at LMH	Manhattan	Riley
S-KS42-0008	Lake Daabinawa Spillway/Grading Improvements	McClouth	Jefferson
S-LA11-0015	Fox Fire Addition	McPherson	McPherson
S-KS52-0685	MNU Campus Center	Olathe	Johnson
S-KS55-0046	Haven at the Wilderness East	Overland Park	Johnson
S-KS55-0383	Kuhlman Diecast Building Demolition	Overland Park	Johnson
S-KS55-0384	Blue Valley Logistics Center	Overland Park	Johnson
S-MO28-0587	UMB Bank 80th & Metcalf Ave.	Overland Park	Johnson
S-MO28-0593	151 Lamar	Overland Park	Johnson
S-AR69-0061	Prather Addition	Park City	Sedgwick
S-AR69-0062	Ironstone 1st Addition	Park City	Sedgwick
S-NE57-0106	Creekside Development Phase I	Pittsburg	Crawford
S-KS65-0027	Family Dollar Sabetha	Sabetha	Brown
S-SH33-0192	Town & Country Animal Hospital	Salina	Saline
S-KS68-0398	Beaver Farms	Shawnee	Johnson
S-MC45-0085	Village on Victory IV	Spring Hill	Johnson
S-UA39-0011	27-38 KA-3271-01	Syracuse	Hamilton
S-KS72-0675	Misty Harbor Subdivision No. 5	Topeka	Shawnee
S-AR94-1167	Blackstone Addition	Wichita	Sedgwick
S-WA20-0050	Trinity Sports Field Complex	Wichita	Sedgwick
S-AR94-0080	C & D Landfill-K-96 & Hillside Reclamation Site	Wichita	Sedgwick
S-AR94-1713	Plazzio Apartments	Wichita	Sedgwick
S-WA20-0132	Craft Addition	Wichita	Sedgwick
S-AR94-1726	Chick-fil-A #2817 Central and Rock Rd.	Wichita	Sedgwick
G-AR94-0107	Exacta Aerospace Facility	Wichita	Sedgwick

All draft documents/applications and the supporting information including any comments received are on file and may be inspected at the offices of the KDHE. For agricultural related draft documents or applications an appointment can be scheduled, or copies requested by contacting Jada Martin at 1000 SW Jackson St., Suite 430, Topeka, KS 66612, telephone 785-296-0076 or email at kdhe.feedlots@ks.gov. Las preguntas o comentarios por escrito deben dirigirse a Erich Glave, Director, Bureau of Environmental Field Services en KDHE: 1000 SW Jackson St., Suite 430, Topeka, KS 66612-1367; por correo electrónico: kdhe.feedlots@ks.gov; por teléfono: 785-296-6432. For all other proposed permits or actions an appointment can be scheduled, or copies requested by contacting Jamie Packard, Bureau of Water, 1000

SW Jackson St., Suite 420, Topeka, KS 66612, telephone 785-296-4148 or email at Jamie.Packard@ks.gov. These documents are available upon request at the copying cost assessed by KDHE. Application information and components of plans and specifications for all new and expanding swine facilities are available at <http://www.kdhe.ks.gov/livestock>. Division of Environment offices are open from 8:00 a.m. to 5:00 p.m., Monday through Friday, excluding holidays.

Janet Stanek
Secretary

Department of Health and Environment

Doc. No. 052621

(Published in the Kansas Register October 31, 2024.)

Cimarron Valley Railroad

Request for Proposals

Interested parties are invited to submit a proposal to complete the below scope of work for the Cimarron Valley Railroad (CVR) track rehabilitation project near Dodge City, Kansas.

Scope of Work

Provide all necessary labor, equipment, and logistical services to provide labor cost to complete new track construction work, ties, ballast, etc. The scope is further described as follows:

- Install approximately 6,470, new 7x9x8.6' (industrial grade) or equivalent crossties.
- Install 115# rail (8,240 track feet) and needed OTM – plates, spikes, anchors, bolt/washer/nut assemblies and comp bars.
 - All work must be constructed in accordance with AREMA standards.
 - Install two complete turnouts with Sampson points and stock rails.
 - Install two each derails.
 - Install adequate amount of ballast, two-Inch.
 - Install two SWT tie packs.
 - Tamp and regulate to completion.
 - All track materials will be furnished by the railroad.
- Any pre-existing rail, ties or OTM that is removed when installing switch components, must be removed and disposed of according to all local, state and federal regulations.
- Additional details concerning the scope of work needing to be done with each portion of the Project, will be addressed at the pre-bid meeting.

Minimum Requirements

MSA and Roadway Worker Protection

Contractors must complete, and have on file, a current Master Services Agreement with CVR. Prior to submitting a proposal:

- Contractors shall comply with all parts of 49 CFR Part 214 and 219 regarding FRA Roadway Worker Safety at all times. Workers and equipment shall remain clear of the track unless they have gained Roadway Worker Protection from a qualified person.
- Contractor, contractor employees, agents and/or

subcontractors must be enrolled and comply with the FRA 219 approved drug testing program.

- Any subcontracted work will need to be approved by CVR prior to any work starting.

Work Windows

Impact to current railroad operations must be kept to a minimum. When work must take place that causes an active track to be taken out of service for the purposes of performing work that pertains to the project, the contractor must pre-arrange a defined work window with the railroad. Contractor can anticipate a minimum work window of eight hours with no more than one schedule of interruption in that time frame between the hours of 07:00 and 17:00. For work windows extending more than eight hours, a minimum of 72 hours of notification is required to the railroad to arrange this window.

Work windows may be arranged seven days a week, if desired. Current railroad operations consist of at least one train per day through the work area. This train operates in the evening hours; however, this schedule is subject to change at any time. This topic will be further discussed and clarified during the pre-proposal meeting.

Standards

All standards referenced by the project plans and specifications, as well as all applicable AREMA standards must be upheld during all phases of the project work, unless certain standards are excluded from the project with written approval by CVR. All rail shall be replaced at standard gauge of 56-1/2".

Submittals

The following documents shall be submitted by the contractor as part of the project at the times listed:

- Schedule of Work – Submitted with proposal.
- Certificate of Insurance – Submitted prior to construction.
- Safety Plan – Submitted prior to construction.
- Proof of Roadway Worker Training – Submitted prior to construction.
- Rail Testing (If AREMA #1 Relay Rail is Used) – Submitted prior to construction.
- All contractors must recognize this is a state contract.
- Rail Weld UT Test Requirements (All Rail Comp Welds) – Submitted with billing.

Other Responsibilities

- Permits – Contractor is responsible for all federal, state, and local permits required for the work.
- Utilities – Contractor is responsible to locate and protect site utilities.
- Site Clean-up – Contractor is responsible for proper site restoration and proper disposal of materials removed in accordance with all local, state and federal laws.

Insurance

Contractor shall purchase required coverage and submit for verification a Certificate of Insurance.

Materials

All materials shall meet the requirements found in the project plans and/or specifications as well as applicable (continued)

cable AREMA requirements. Material storage is granted on railroad right of way to the contractor. However, no materials shall be stored closer than 15' from the centerline of any active track, at any time. Material and equipment laydown areas and reclaimed materials stockpiling locations shall be discussed and further clarified at the pre-proposal meeting. All removed materials remain property of the K&O Railroad, to be stockpiled as directed by a railroad representative.

Non-Project Areas

CVR has secured access to the project through the railroad right of way. Other access may be obtained by the contractor if they so choose. All areas (public, private, and railroad right of way) that are used for access to the project, including parts of the railroad right of way which have no proposed work, shall be maintained and/or remediated, incidental to the project, by the contractor to the satisfaction of the property owner if any damage to these areas occurs.

Pre-Proposal Meeting

CVR shall hold a pre-proposal meeting at the project site at 11:00 a.m. (Central Time) November 5, 2024. The meeting shall be held at the CVR office in Satanta, Kansas. Contractors are required to be present at this meeting to submit a proposal or their proposal can be rejected.

Project Completion

All work pertaining to this project shall be completed by May 15, 2025. Failure to complete work by May 15, 2025, may result in the contractor's removal from the property or charges of \$2500/day until completed to satisfaction.

Submission of a Proposal

All proposals must be submitted no later than November 15, 2024. All submitted proposals shall be reviewed by CVR. Please ensure your proposal includes all required information. All incomplete proposals shall be rejected. Contractors who wish to submit a proposal must attend the pre-proposal meeting. The structure of your proposal must be able to be clearly understood, all proposals shall provide the following line items and provide costs as required below:

- Provide a total sum of all line items on the proposal.
- Mobilization and Demobilization – Lump sum.
- Install 8,230 track feet of #115 RE rail.
- Install ties based on 19-inch centers.
- Install OTM bars, plates, anchors, and spikes.
- Dump ballast, tamp. and regulate.
- Clean up work site.
- Install two each complete 115# turnouts and SWT packs.
- Install two each derails.

Work Reporting

Daily work reports must be filled out and submitted to:

- Arturo Andrade, CVR Roadmaster, at aandrade@jag-transport.com; phone 830-465-7285.
- Neal Jacobs, Division Engineer, at njacobs@jag-transport.com; phone 316-215-4087.

Weekly Reports should include updates to project schedules, any delays, or any change in the scope of

work. A detailed summary report must be submitted at the completion of the project. Daily reporting shall consist of daily progress reports simultaneously emailed to Arturo Andrade and Neal Jacobs.

For further information or questions regarding the Request for Proposals or submitting a proposal, needs to be simultaneously emailed Arturo Andrade and Neal Jacobs.

Neal Jacobs
Division Engineer
Jaguar Transport Holdings

Doc. No. 052591

(Published in the Kansas Register October 31, 2024.)

Kansas & Oklahoma Railroad

Request for Proposals

Interested parties are invited to submit a proposal to complete the below scope of work for the Kansas & Oklahoma (K&O) Railroad track expansion project at Project Sur in Maize, Kansas.

Scope of Work

Project is in Maize, Kansas on proposed track expansion coming off an existing main track just west of existing crossing at N. 119th St W. This proposal requests contractor provides all necessary labor, equipment, and logistical services for installation of all track including crossing panels, to complete all track construction work, ties, ballast, derails, etc. The scope is further described as follows:

- Contractor to plan for mobilization and demobilization under a lump sum amount. This includes all necessary equipment, trailers, storage, or other site needs for the duration of the project including items as required by local or state construction regulations.
- Construction surveying to include final as-built survey to be completed within 90 days of Final Project Execution.
- Supply, assemble, and install pricing for approximately 3037 track feet of 115# min jointed relay rail on new 7x9x8.6' wood crossties. Owner reserves the right to supply any or all track and aggregate materials without impact to other scope items.
- Supply, assemble, and install pricing for four each AREMA industrial turn out to be built using 115# rail, Sampson points, solid manganese self-guarded frog, wood ties, and OTM – plates, spikes, anchors, bolt/washer/nut assemblies. Owner reserves the right to supply any or all track and aggregate materials without impact to other scope items.
- Road crossing and signage meeting local protection to maintain public safety required by state, local, and federal regulations. All track to be continuously welded through crossings.
- Supply and install pricing for 2920 tons of ballast, tamping, and regulating. Ballast to meet AREMA and DOT requirements for gradation and placement. Owner reserves the right to supply any or all track and aggregate materials without impact to other scope items.

- Supply and install two double switch point derails as shown in plans to allow for safe operating procedures between site and mainline operations.
- Site cleanup following completion of work is captured as a lump sum item. Any pre-existing rail, ties, or OTM that is removed when installing switch components, must be removed and disposed of according to all local, state, and federal regulations.
- Additional details concerning the scope of work needing to be done with each portion of the project, will be addressed at the pre-bid meeting.

Minimum Requirements

Roadway Worker Protection

Contractors must complete, and have on file, a current Master Services Agreement with owner prior to submitting a proposal.

- Contractors shall comply with all parts of 49 CFR Part 214 and 219 regarding FRA Roadway Worker Safety at all times. Workers and equipment shall remain clear of the track unless they have gained Roadway Worker Protection from a qualified person.
- Contractor, contractor employees, agents and/or subcontractors must be enrolled and comply with the FRA 219 approved drug testing program.
- Any subcontracted work will need to be approved prior to any work starting.

Work Windows

Impact to current railroad and site operations must be kept to a minimum. When work must take place that causes an active track to be taken out of service for the purposes of performing work that pertains to the project, the contractor must pre-arrange a defined work window with Watco/K&O Railroad. Contractor can anticipate a minimum work window of 8 hours with no more than two schedule of interruption in that time frame between the hours of 07:00 and 17:00. This topic will be further discussed and clarified during the pre-proposal meeting.

Standards

All standards referenced by the project plans and specifications, as well as all applicable AREMA standards must be upheld during all phases of the project work, unless certain standards are excluded from the project with written approval. All rail shall be replaced at standard gauge of 56-1/2".

Submittals

The following documents shall be submitted by the Contractor as part of the project—at the times listed:

Schedule of Work – Submitted with proposal.

- Certificate of Insurance – Submitted prior to construction to meet all owner provided insurance guidelines.
- Contractor Job Safety Plan (Safety Checklist and Project Descriptions).
- Contractor Welding Certification Requirements (Acknowledgement).
- Proof of Roadway Worker Training – Submitted prior to construction.
- Rail Testing (If AREMA #1 Relay Rail is Used) – Submitted prior to construction.

- Rail Weld UT Test Requirements (All Rail Comp Welds) – Submitted with billing.
- Performance and Payment Bond – Submit prior to construction.

Other Responsibilities

- Permits – Contractor is responsible for all local, state, and federal permits required for the work.
- Utilities – Contractor is responsible to locate and protect site utilities as well as coordinate with utility companies for modifications.
- Site Clean-up – Contractor is responsible for proper site restoration and proper disposal of materials removed in accordance with all local, state and federal laws.

Insurance

Contractor shall purchase coverage and submit for verification a Certificate of Insurance to meet all requirements demanded of the site, local, and state regulating agencies.

Materials

All non-owner supplied materials shall meet the requirements found in the project plans and/or specifications as well as applicable AREMA requirements. Material storage is granted on railroad right of way to the contractor. However, no materials shall be stored closer than 25' from the centerline of any active track at any time. Material and equipment laydown areas and reclaimed materials stockpiling locations shall be discussed and further clarified at the pre-proposal meeting. All removed materials remain property of the K&O, to be stockpiled as directed by a Representative.

Non-Project Areas

Watco has secured access to the project through N. 119th St W. All areas (public, private, and railroad right of way) that are used for access to the project, including parts of the railroad right of way which have no proposed work, shall be maintained and/or remediated, incidental to the project, by the contractor to the satisfaction of the property owner if any damage to these areas occurs.

Pre-Proposal Meeting

Watco shall hold a pre-proposal meeting at the project site near Maize, Kansas at 9:00 a.m. November 22, 2024. Contractors are not required to be present at this meeting to submit a proposal.

Project Completion

In-service date for this project is expected to be May 1, 2025, subject to change after submittal of schedule with bid proposal. Proposed start date for consideration and access to site would be January 6, 2025. Contractor is to build schedule to meet this date and coordinate in service schedule. All work pertaining to this project shall be completed as indicated on the contractor supplied Schedule. Failure to complete work by the scheduled date may result in the contractor's removal from the property or charges of \$1500/day until completed to satisfaction.

Submission of a Proposal

All proposals must be submitted no later than December 10, 2024. All submitted proposals shall be reviewed

(continued)

by Watco Purchasing Department. Please ensure your proposal includes all required information. All incomplete or late proposals shall be rejected. Contractors who wish to submit a proposal are not required to attend the pre-proposal meeting. Proposals will be submitted to Ryan Reyes via email at Ryan.Reyes@watco.com. The structure of your proposal must be able to be clearly understood, all proposals shall provide the following line items and provide costs as required below:

- Provide a total sum of all Line Items on the proposal:
 - Mobilization and Demobilization – Lump sum.
 - Passive Crossing Signage – Four each.
 - Wood Panel Crossings – 48 LF.
 - Contractor Surveying – Lump sum.
 - Track Supply – 3037 TF.
 - Track Assemble and Install – 3037 TF.
 - Ballast Supply – 2920 NT.
 - Ballast Distribute – 2920 NT.
 - Tamp and Regulate – Lump sum.
 - Turnout Supply – Four each.
 - Turnout Assemble and Install – Four each.
 - Derail Supply – Two each.
 - Derail Assemble and Install – Two each.
 - Site Cleanup – Lump sum.
 - Performance and Payment Bond.

Work Reporting

Contractors will be required to complete right of entry forms and be railroad certified contractors prior to commencing work.

Daily work reports must be filled out and submitted to:

- Paul Leonards, Watco VP Construction
- Bryan Waldon, Senior Project Manager for Watco

Weekly reports should include updates to project schedules, any delays or any change in the scope of work. A detailed summary report must be submitted at the completion of the project. Daily reporting shall consist of daily progress reports in format to be provided at award.

For further information or questions regarding the Request for Proposals or submitting a proposal please send an email request to Paul Leonards, VP Construction, at pleonards@watco.com, phone 601-506-1800.

Drew White
Director of Engineering
Watco

Doc. No. 052626

(Published in the Kansas Register October 31, 2024.)

Viterra USA Grain

Request for Proposals

Interested parties are invited to submit a proposal to complete the below scope of repairs for the proposed Viterra USA Grain – Wichita, Kansas–P#87 RA-9866-23 project.

Scope of Work

Provide all necessary labor, equipment, materials, and logistical services to supply materials called for. Complete all administrative, rehabilitation and track con-

struction work, rail, switches, ties, ballast, tamping, and regulating required for the Viterra USA Grain – Wichita, Kansas track rehabilitation project. The scope is defined further as follows:

- Rail Upgrade–Elevator and Tail 1 Tracks:
 - Replace existing 90lb rail with 115lb rail:
 - All new rail joints are to be UT welded by certified welder(s).
 - Replace 1,880 damaged/rotted cross ties:
 - Dispose of all damaged/rotted cross ties.
 - Replace 1,880 cross ties with new 6"×8"×8'6" grade #3 or better cross ties.
 - *Any remaining new ties will be placed on Elevator 2 track.
 - Furnish labor, equipment, and materials to install new rail and cross ties.
 - Add 1,200 tons of clean 2" railroad ballast rock:
 - Tamp and regulate to proper height and cross-level.
 - Machine regulate and dress on accessible track. Hand regulate where not accessible by machine.
 - Furnish labor, equipment, and materials to add 1,200 tons of ballast, tamp, and regulate.
- Tail 2 Track – Rail Bed Rebuild.
- Furnish labor and equipment to do the following:
 - Remove joints at both ends of Tail 2.
 - Slide track over out of the way.
 - Remove existing ballast.
 - Cut grade 24" below top of rail.
 - Install 1,563' of geo grid.
 - Install 6" of compacted AB3.
 - Install 1,563' of soil fabric.
 - Slide track back into place, connect joints at both ends.
 - Install new 1½" clean ballast with 6" ballast below tie.
 - Line track.
 - Machine tamp and regulate track to proper elevation.
- Drainage System:
 - Replace culverts on Elevator 2:
 - Extend culverts through Elevator 1 track and out to ditch.
 - Install 10' manhole with drain pump capabilities on north end low spot area for Tail 3*:
 - Include proper dirt work to ensure standing water will flow towards manhole.

MSA and Roadway Worker Protection

Contractors must complete, and have on file, a current Master Service Agreement or Construction Agreement with Viterra USA Grain before the works begins.

- Contractor shall comply with all parts of 49 CFR Part 214 and 219 regarding FRA Roadway Worker Safety at all times. Personnel and equipment shall remain clear of the track unless they have gained Roadway Worker Protection from a qualified person.
- Contractor shall wear required Personal Protective Equipment (PPE) at all times while on property. Minimum PPE includes hard hat, safety glasses (with side shields), Class III high visibility vest

or clothing, leather gloves, and steel toed leather work boots.

- Contractor, contractor employees, agents, and/or subcontractors must be enrolled and comply with FRA 219 approved drug testing program.
- Any subcontracted work shall have written approval by the Viterra Wichita Project Manager prior to construction.
- Contractor is responsible for securing roadway worker protection (flagger protection) when working within 25 feet of adjacent Kansas & Oklahoma (K&O) Railroad mainline rail.

Work Windows

Impact to current railroad operations must be kept to a minimum. When work must take place that causes an active track to be taken out of service for the purposes of performing the work that pertains to this project, the contractor must arrange a defined work window with Viterra USA Grain prior to commencing work. Contractor can anticipate a minimum eight hours with no more than one scheduled interruption in the work window between the hours of 07:00 and 17:00. This project will need to be completed by first half of April 2025 or mid-October 2025. Project can be broken up into two phases consisting of 2-week rail shutdowns each. *This topic will be further discussed and clarified at the pre-proposal meeting.*

Standards

All standards referenced by the project plans, scope of work, and specifications, as well as applicable AREMA standards must be upheld during all phases of the project. All rail shall be replaced with a standard gauge of 56-1/2".

Submittals

The following documents shall be submitted, at the time listed, by the contractor as part of the project:

- Schedule of work – Submitted with proposal.
- Certificate of Insurance – Submitted prior to construction.
- Safety Plan – Submitted prior to construction.
- Proof of Roadway Worker Training – Submitted prior to construction.
- Rail Testing (If AREMA #1 relay is used) – Submitted prior to construction.
- Rail Weld UT Test Requirements (All Rail Comp Welds) – Submitted with billing.

Other Responsibilities

- Permits – Contractor is responsible for all federal, state, and local permits for the work.
- Utilities – Contractor is responsible to locate and protect site utilities.
- Site Clean-up – Contractor is responsible for proper site disposal of materials in accordance with local, state, and federal laws. Contractor is responsible for site restoration. Contractor is responsible for securing dumpster and hauling off used material. No old ties will be allowed to be stored on site in a pile.
- Right of Way Access – Contractor is responsible for obtaining proper right of way entry prior to leaving Viterra USA Grain property and entering Watco Companies (K&O Railroad) property.

- KDOT Grant – All requirements applicable to the contractor pursuant to the grant provided to Viterra USA Grain from the Kansas Department of Transportation in connection with the project.

Insurance

Contractor shall purchase required insurance coverage and submit verification of Certificate of Insurance prior to construction. Contractor shall address insurance requirements by Watco Companies (K&O Railroad) and submit proof to both Viterra USA Grain and Watco Companies.

Materials

All material shall meet or exceed the requirements found in the project plans and/or specifications as well as applicable AREMA requirements. Material storage is granted within the pre-determined and designated area located on Viterra USA Grain property. No materials shall be stored in the event that railroad tracks are fouled at any time. Material and equipment laydown areas shall be discussed and further clarified at the pre-proposal meeting. Contractor is responsible for furnishing all required materials to complete project.

Non-Project Areas

Viterra USA Grain has secured access to the project through the K&O Railroad. Other access may be obtained by the contractor if they so choose. All areas (public, private, and railroad right of way) that are used to access the project, including areas of the railroad right of way which have no proposed work, shall be maintained and/or remediated, incidental to the project, by the contractor to the satisfaction of the property owner if damage to those areas occur.

Project Completion

All work pertaining to this project shall be completed by October 17, 2025. Failure to complete the work by October 17, 2025, may result in the contractors' removal from the property or charges of \$2,500/day until completed to satisfaction.

Submission of Proposal

All proposals must be submitted no later than December 9, 2024. All submitted proposals shall be reviewed by Viterra USA Grain. Please ensure the submitted proposal includes all required information. Any incomplete proposal will be rejected. The structure of the proposal must be clearly understood and shall provide the following line items and provide cost as required below:

- Provide total sum of all line items on the proposal.
- Mobilization and Demobilization – Lump sum.
- Labor – Lump sum.
- Materials – (Ballast, rail, turnouts, switches, OTM, ties, and other miscellaneous supplies.)
- Tamp and Regulate – Lump sum.
- Performance Bond (Sum not less than amount of awarded contract) – Lump sum.

Pre-Proposal Meeting

Viterra USA Grain shall hold a pre-proposal meeting at the project site at 9:00 a.m. (Central Time) Friday, November 22, 2024. The meeting shall be held at Viterra

(continued)

USA Grain – Wichita, Kansas, 5755 S. Hoover Rd., Wichita, KS 67215. Contractors are required to be present at this meeting to submit a proposal or their proposal can be rejected.

Work Reporting

Daily work reports must be filled out and submitted to designated Viterra USA Grain project manager. Weekly reports shall include updates to project schedules, any delays, or any change to the original scope of work. A detailed summary report shall be submitted at the completion of the project.

For further information or questions regarding the Request for Proposals or submitting a proposal, please email Carlos Bravo, Project Manager, at carlos.bravo@viterra.com, phone 402-699-5731.

Carlos Bravo
Project Manager
Viterra USA Grain

Doc. No. 052627

State of Kansas

Office of the Governor

Executive Directive No. 24-590 Establishment of a Federal Fund

By virtue of the authority vested in the Governor as the head of the Executive Branch of the State of Kansas, the following transactions are hereby authorized:

Pursuant to the authority of the Secretary of the Kansas Department of Health and Environment to receive and expend federal funds, and pursuant to the authority granted the Governor by Section 200 of Chapter 88 of *The 2024 Session Laws of Kansas*, approval is hereby granted to the Kansas Department of Health and Environment for expenditure in FY 2025 of monies in the federal fund entitled the “Child Care Capacity Fund.”

Pursuant to the authority of the Superintendent of the Highway Patrol to receive and expend federal funds, and pursuant to the authority granted the Governor by Section 200 of Chapter 88 of *The 2024 Session Laws of Kansas*, approval is hereby granted to the Highway Patrol for expenditure in FY 2025 of monies in the federal fund entitled “General DOJ Federal Grants.”

I have conferred with the Director of the Budget and members of my staff, and I have determined that the guidelines set forth in K.S.A. 75-3711 and 75-3711c have been applied and that none of the forgoing actions exceeds the limitations contained therein.

Dated October 16, 2024.

Laura Kelly
Governor

Doc. No. 052615

State of Kansas

Kansas Development Finance Authority

Notice of Hearing

A public hearing will be held at 9:00 a.m. November 15, 2024, in the conference room of Kansas Develop-

ment Finance Authority (the “Authority”), 534 S. Kansas Ave., Suite 800, Topeka, Kansas, on the proposed issuance by the Authority in one or more series of revenue bonds (the “Bonds”) in a principal amount not to exceed \$19,000,000. The Bonds will be issued pursuant to K.S.A. 74-8901 et seq. (the “Act”) to finance a portion of the costs of the acquisition and rehabilitation of an approximately 125-unit qualified residential rental project under Section 142 of the Internal Revenue Code, with an approximate address of 641 S. 71st Terr., and generally located on a lot at the southeast corner of the intersection of Kansas Ave. and S. 72nd St., in Kansas City, Kansas, known as Terrace Pointe, (the “Project”), to be owned and operated by Terrace Pointe, LP, a Kansas limited partnership (the “Borrower”).

The Bonds will be limited obligations of the Authority, payable solely from revenues pledged by the Borrower, and will not constitute a general obligation or indebtedness of the State of Kansas or any political subdivision thereof, nor will the Bonds constitute an indebtedness for which the faith and credit and taxing powers of the State of Kansas are pledged, but the Bonds will be payable solely from revenues pledged by the Borrower in amounts sufficient to pay the principal of, interest and redemption premium, if any, on the Bonds.

Interested individuals may participate in the public hearing in person or via conference call. Please call toll-free at 844-621-3956 and use access code 145 880 8929 followed by # to join the hearing.

At the time and place fixed for the hearing, all individuals who appear will be given an opportunity to express their views for or against the proposal to issue the Bonds for the Project, and all written comments previously filed with the Authority at its above-referenced offices will be considered. Additional information regarding the Project may be obtained by contacting the Authority at the address of its offices shown above.

Rebecca Floyd
President

Kansas Development Finance Authority

Doc. No. 052612

State of Kansas

Kansas Development Finance Authority

Notice of Hearing

Public Notice is hereby given that a public hearing will be held by the Kansas Development Finance Authority (the “Authority”) at 9:15 a.m. November 15, 2024, in the conference room in the offices of the Authority, 534 S. Kansas Ave., Suite 800, Topeka, Kansas, concerning a plan of finance involving the issuance by the Iowa Finance Authority of one or more series of qualified 501(c)(3) revenue bonds in a maximum stated principal amount of \$180,000,000 (the “Bonds”) for the purpose of making the proceeds of the Bonds available to Lifespace Communities, Inc., an Iowa nonprofit corporation (the “Corporation”), to finance, refinance, and reimburse costs of life care communities for the Corporation.

The Corporation expects to use a portion of the proceeds of the Bonds to finance the costs of additions,

renovations, remodeling, equipping, and miscellaneous capital improvements to the community located at 8101 Mission Rd., Prairie Village, KS 66208, known as Claridge Court, in an amount not expected to exceed \$10,000,000.

This public hearing does not impose any liability on the Authority or the State of Kansas but is an accommodation by the Authority to satisfy the requirements of Section 147(f) of the Internal Revenue Code of 1986, as amended.

Interested individuals are encouraged to participate in the public hearing via conference call. Please call toll-free number 844-621-3956 and use conference identification number 145 880 8929 followed by # to join the hearing.

All individuals who wish to participate in the hearing, including those physically present and those joining via conference call, will be given an opportunity to express their views for or against the proposed Bonds, and all written comments previously filed with the Authority at its offices at 534 S. Kansas Ave., Suite 800, Topeka, Kansas, will be considered. Additional information regarding the Bonds and the projects described above may be obtained by contacting the Authority at the address of its offices shown above.

Rebecca Floyd
President

Kansas Development Finance Authority

Doc. No. 052613

State of Kansas

Department of Revenue

Permanent Administrative Regulations

Article 11.—WITHHOLDING AND ESTIMATED TAX

92-11-20. (Authorized by K.S.A. 79-3236; implementing K.S.A. 1981 Supp. 79-32,101, 79-32,102; effective Jan. 1, 1966; amended, E-82-26, Dec. 16, 1981; amended May 1, 1982; revoked Nov. 15, 2024.)

92-11-21. (Authorized by K.S.A. 79-3236, 79-32,103; effective Jan. 1, 1966; amended Jan. 1, 1970; revoked Nov. 15, 2024.)

Article 12.—INCOME TAX

92-12-113. (Authorized by K.S.A. 79-3236; implementing K.S.A. 2004 Supp. 79-32,206; effective April 22, 2005; revoked Nov. 15, 2024.)

Mark A. Burghart
Secretary
Department of Revenue

Doc. No. 052624

INDEX TO ADMINISTRATIVE REGULATIONS

100-5-1 Amended V. 43, Issue 43
100-5-2 Amended V. 43, Issue 43

This index lists in numerical order the new, amended, and revoked administrative regulations with a future effective date and the *Kansas Register* issue in which the regulation can be found. A complete listing and the complete text of all currently effective regulations required to be published in the *Kansas Administrative Regulations* can be found at https://www.sos.ks.gov/publications/pubs_kar.aspx.

AGENCY 4: DEPARTMENT OF AGRICULTURE

Reg. No.	Action	Register
4-15-5	Amended (T)	V. 43, Issue 42
4-15-7	Amended (T)	V. 43, Issue 42

AGENCY 28: DEPARTMENT OF HEALTH AND ENVIRONMENT

Reg. No.	Action	Register
28-16-28e	Amended	V. 43, Issue 43
28-16-28h	Amended	V. 43, Issue 43

AGENCY 100: BOARD OF HEALING ARTS

Reg. No.	Action	Register
100-1-1	Amended	V. 43, Issue 43
100-2-2	Amended	V. 43, Issue 43
100-2-3	Amended	V. 43, Issue 43
100-2-4	Amended	V. 43, Issue 43
100-3-1	Revoked	V. 43, Issue 43
100-4-1	Amended	V. 43, Issue 43
100-4-2	Amended	V. 43, Issue 43

AGENCY 109: BOARD OF EMERGENCY MEDICAL SERVICES

Reg. No.	Action	Register
109-3-2	Revoked	V. 43, Issue 42
109-6-1	Revoked	V. 43, Issue 42
109-6-2	Amended	V. 43, Issue 42
109-7-1	Amended	V. 43, Issue 42
109-8-1	Amended	V. 43, Issue 42
109-8-2	Amended	V. 43, Issue 42
109-11-1a	Amended	V. 43, Issue 42
109-11-3a	Amended	V. 43, Issue 42
109-11-4a	Amended	V. 43, Issue 42
109-11-6a	Amended	V. 43, Issue 42
109-15-2	Amended	V. 43, Issue 42
109-15-3	Amended	V. 43, Issue 42
109-17-4	Amended	V. 43, Issue 42

AGENCY 111: KANSAS LOTTERY

A complete index listing all regulations filed by the Kansas Lottery from 1988 through 2000 can be found in the Vol. 19, No. 52, December 28, 2000 *Kansas Register*. A list of regulations filed from 2001 through 2003 can be found in the Vol. 22, No. 52, December 25, 2003 *Kansas Register*. A list of regulations filed from 2004 through 2005 can be found in the Vol. 24, No. 52, December 29, 2005 *Kansas Register*. A list of regulations filed from 2006 through 2007 can be found in the Vol. 26, No. 52, December 27, 2007 *Kansas Register*. A list of regulations filed from 2008 through November 2009 can be found in the Vol. 28, No. 53, December 31, 2009 *Kansas Register*. A list of regulations filed from December 1, 2009, through December 21, 2011, can be found in

the Vol. 30, No. 52, December 29, 2011 *Kansas Register*. A list of regulations filed from December 22, 2011, through November 6, 2013, can be found in the Vol. 32, No. 52, December 26, 2013 *Kansas Register*. A list of regulations filed from November 7, 2013, through December 31, 2015, can be found in the Vol. 34, No. 53, December 31, 2015 *Kansas Register*. A list of regulations filed from 2016 through 2017, can be found in the Vol. 36, No. 52, December 28, 2017 *Kansas Register*. A list of regulations filed from 2018 through 2019, can be found in the Vol. 38, No. 52, December 26, 2019 *Kansas Register*. A list of regulations filed from 2020 through 2021, can be found in the Vol. 40, No. 52, December 30, 2021 *Kansas Register*. A list of regulations filed from 2022 through 2023 can be found in the Vol. 42, No. 52, December 28, 2023 *Kansas Register*.

Reg. No.	Action	Register
111-4-3547	Amended	V. 43, Issue 31
111-4-3771	New	V. 43, Issue 5
111-4-3772	New	V. 43, Issue 11
111-4-3773	New	V. 43, Issue 12
111-4-3774	New	V. 43, Issue 14
111-4-3775	New	V. 43, Issue 29
111-4-3776	New	V. 43, Issue 29
111-4-3777	New	V. 43, Issue 29
111-4-3778	New	V. 43, Issue 29
111-4-3779	New	V. 43, Issue 29
111-4-3780	New	V. 43, Issue 29
111-4-3781	New	V. 43, Issue 29
111-4-3782	New	V. 43, Issue 29
111-4-3783	New	V. 43, Issue 29
111-4-3784	New	V. 43, Issue 30
111-4-3785	New	V. 43, Issue 30
111-4-3786	New	V. 43, Issue 30
111-4-3787	New	V. 43, Issue 30
111-4-3788	New	V. 43, Issue 30

111-4-3789	New	V. 43, Issue 30	111-20-7	New	V. 43, Issue 5	111-501-161	New	V. 43, Issue 30
111-4-3790	New	V. 43, Issue 31	111-20-8	New	V. 43, Issue 5			
111-4-3791	New	V. 43, Issue 31	111-20-9	New	V. 43, Issue 5			
111-4-3792	New	V. 43, Issue 31	111-20-10	New	V. 43, Issue 5			
111-4-3793	New	V. 43, Issue 31	111-20-11	New	V. 43, Issue 5			
111-4-3794	New	V. 43, Issue 36	111-20-12	New	V. 43, Issue 5			
111-4-3795	New	V. 43, Issue 36	111-20-13	New	V. 43, Issue 5			
111-4-3796	New	V. 43, Issue 36	111-20-14	New	V. 43, Issue 5			
111-4-3797	New	V. 43, Issue 36	111-20-15	New	V. 43, Issue 5			
111-4-3798	New	V. 43, Issue 36	111-20-16	New	V. 43, Issue 5			
111-4-3799	New	V. 43, Issue 36	111-20-17	New	V. 43, Issue 5			
111-4-3800	New	V. 43, Issue 36	111-20-18	New	V. 43, Issue 5			
111-4-3801	New	V. 43, Issue 36	111-20-19	New	V. 43, Issue 5			
111-4-3802	New	V. 43, Issue 36	111-20-20	New	V. 43, Issue 5			
111-4-3803	New	V. 43, Issue 36	111-20-21	New	V. 43, Issue 5			
111-4-3804	New	V. 43, Issue 36	111-20-22	New	V. 43, Issue 5			
111-4-3805	New	V. 43, Issue 36	111-20-23	New	V. 43, Issue 5			
111-4-3806	New	V. 43, Issue 36	111-21-1	New	V. 43, Issue 11			
111-4-3807	New	V. 43, Issue 36	111-21-2	New	V. 43, Issue 11			
111-9-233	New	V. 43, Issue 5	111-21-3	New	V. 43, Issue 11			
111-9-234	New	V. 43, Issue 12	111-21-4	New	V. 43, Issue 11			
111-15-1	Amended	V. 43, Issue 31	111-21-5	New	V. 43, Issue 11			
111-15-3	Amended	V. 43, Issue 31	111-21-6	New	V. 43, Issue 11			
111-18-5	Amended	V. 43, Issue 12	111-21-7	New	V. 43, Issue 11			
111-19-169	New	V. 43, Issue 5	111-21-8	New	V. 43, Issue 11			
111-19-170	New	V. 43, Issue 12	111-21-9	New	V. 43, Issue 11			
111-19-171	New	V. 43, Issue 12	111-21-10	New	V. 43, Issue 11			
111-19-172	New	V. 43, Issue 12	111-22-1	New	V. 43, Issue 36			
111-19-173	New	V. 43, Issue 12	111-22-2	New	V. 43, Issue 36			
111-19-174	New	V. 43, Issue 14	111-22-3	New	V. 43, Issue 36			
111-19-175	New	V. 43, Issue 14	111-22-4	New	V. 43, Issue 36			
111-19-176	New	V. 43, Issue 14	111-22-5	New	V. 43, Issue 36			
111-19-177	New	V. 43, Issue 29	111-22-6	New	V. 43, Issue 36			
111-19-178	New	V. 43, Issue 29	111-22-7	New	V. 43, Issue 36			
111-19-179	New	V. 43, Issue 29	111-22-8	New	V. 43, Issue 36			
111-19-180	New	V. 43, Issue 29	111-22-9	New	V. 43, Issue 36			
111-19-181	New	V. 43, Issue 30	111-22-10	New	V. 43, Issue 36			
111-19-182	New	V. 43, Issue 30	111-22-11	New	V. 43, Issue 36			
111-19-183	New	V. 43, Issue 31	111-22-12	New	V. 43, Issue 36			
111-19-184	New	V. 43, Issue 36	111-22-13	New	V. 43, Issue 36			
111-20-1	New	V. 43, Issue 5	111-23-1	New	V. 43, Issue 36			
111-20-2	New	V. 43, Issue 5	111-23-2	New	V. 43, Issue 36			
111-20-3	New	V. 43, Issue 5	111-23-3	New	V. 43, Issue 36			
111-20-4	New	V. 43, Issue 5	111-23-4	New	V. 43, Issue 36			
111-20-5	New	V. 43, Issue 5	111-501-113	Amended	V. 43, Issue 11			
111-20-6	New	V. 43, Issue 5	111-501-155	Amended	V. 43, Issue 11			

AGENCY 112: RACING AND GAMING COMMISSION

Reg. No.	Action	Register
112-201-1	New (T)	V. 42, Issue 44
112-201-2	New (T)	V. 42, Issue 44
112-201-3	New (T)	V. 42, Issue 44
112-201-4	New (T)	V. 42, Issue 44
112-201-5	New (T)	V. 42, Issue 44
112-201-6	New (T)	V. 42, Issue 44
112-201-7	New (T)	V. 42, Issue 44
112-201-8	New (T)	V. 42, Issue 44
112-201-9	New (T)	V. 42, Issue 44
112-201-10	New (T)	V. 42, Issue 44
112-201-11	New (T)	V. 42, Issue 44
112-201-12	New (T)	V. 42, Issue 44
112-201-13	New (T)	V. 42, Issue 44
112-201-14	New (T)	V. 42, Issue 44
112-201-15	New (T)	V. 42, Issue 44
112-201-16	New (T)	V. 42, Issue 44
112-201-17	New (T)	V. 42, Issue 44
112-201-18	New (T)	V. 42, Issue 44
112-201-19	New (T)	V. 42, Issue 44
112-201-20	New (T)	V. 42, Issue 44
112-201-21	New (T)	V. 42, Issue 44
112-201-22	New (T)	V. 42, Issue 44
112-201-23	New (T)	V. 42, Issue 44
112-202-1	New (T)	V. 42, Issue 44
112-202-2	New (T)	V. 42, Issue 44
112-203-1	New (T)	V. 42, Issue 44
112-203-2	New (T)	V. 42, Issue 44
112-203-3	New (T)	V. 42, Issue 44
112-203-4	New (T)	V. 42, Issue 44
112-203-5	New (T)	V. 42, Issue 44
112-203-6	New (T)	V. 42, Issue 44
112-203-7	New (T)	V. 42, Issue 44
112-203-8	New (T)	V. 42, Issue 44
112-204-1	New (T)	V. 42, Issue 44
112-204-2	New (T)	V. 42, Issue 44
112-204-3	New (T)	V. 42, Issue 44
112-204-4	New (T)	V. 42, Issue 44
112-204-5	New (T)	V. 42, Issue 44
112-204-6	New (T)	V. 42, Issue 44
112-204-7	New (T)	V. 42, Issue 44

Kansas Register
Secretary of State
1st Floor, Memorial Hall
120 SW 10th Ave.
Topeka, KS 66612-1594
